



## SAFETY DATA SHEET

Revision Date 04/17/2015

REVISION NUMBER: 2

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Identifier  
Product name AEROSOL, BLOOM

Other means of identification  
Product code 251970  
UNID No. 1950  
Synonyms NONE

Recommended use of the chemical and restrictions on use  
Recommended Use Air Freshener  
Uses advised against No information available

#### Details of the supplier of the safety data sheet

Manufacturer Address  
Rochester Midland Corporation  
155 Paragon Drive  
Rochester, New York 14624 USA

Importer  
Rochester Midland Limited  
5353 John Lucas Drive  
Suite 103  
Burlington, ON L7L 6G5  
Canada

#### Emergency telephone number

EMERGENCY TELEPHONE  
INFOTRAC: 1-800-535-5053  
OUTSIDE U.S.: +1-352-323-3500  
CANUTEC: 613-996-6666

### 2. HAZARDS IDENTIFICATION

#### Classification

OSHA Regulatory Status  
This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)  
This chemical is considered hazardous by the WHMIS 2015 Hazardous Products Regulation.

Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3
Flammable Aerosols	Category 1

#### Label elements

#### Emergency Overview

#### DANGER

#### Hazard statements

Causes serious eye irritation  
May cause an allergic skin reaction  
May cause drowsiness or dizziness  
Extremely flammable aerosol

Page 1 of 9

251970 AEROSOL, BLOOM

Revision Date 04/17/2015



Appearance No information available Physical state Aerosol Odor Pleasant fragrance as labeled

Precautionary Statements - Prevention  
Wash face, hands and any exposed skin thoroughly after handling  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Contaminated work clothing should not be allowed out of the workplace  
Use only outdoors or in a well-ventilated area  
Keep away from heat/sparks/open flames/hot surfaces. — No smoking  
Do not spray on an open flame or other ignition source  
Pressurized container. Do not pierce or burn, even after use  
Wear protective gloves/protective clothing/eye protection/face protection

#### Precautionary Statements - Response

Call a POISON CENTER or doctor/physician if you feel unwell  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If eye irritation persists: Get medical advice/attention  
IF ON SKIN: Wash with plenty of soap and water  
If skin irritation or rash occurs: Get medical advice/attention  
Wash contaminated clothing before reuse  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
Call a POISON CENTER or doctor/physician if you feel unwell

#### Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed  
Store locked up  
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

No information available

#### Other Information

• Toxic to aquatic life with long lasting effects.  
• Toxic to aquatic life.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION	CAS No.	%	TRADE SECRET
Acetone	67-64-1	60 - 80	*
Butane	106-97-8	10 - 20	*
Propane	74-98-6	10 - 20	*
Benzaldehyde	100-52-7	1 - 2.5	*
Ethyl Methyl Phenylglycidate	77-83-8	0.1 - 1	*
Vanillin	121-33-5	0.1 - 1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

Page 2 of 9

251970 AEROSOL, BLOOM

Revision Date 04/17/2015

#### First aid measures

General advice Call a POISON CENTER or doctor/physician if you feel unwell.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin contact IF ON SKIN: Wash with soap and water. IF ON SKIN: Gently wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Ingestion IF SWALLOWED: Clean mouth with water and drink afterwards plenty of water.

#### Most important symptoms and effects, both acute and delayed

Symptoms May cause allergic skin reaction. Drowsiness. Dizziness.

#### Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Alcohol resistant foam. Water spray (fog). Dry chemical. Carbon dioxide (CO2).

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

#### Specific hazards arising from the chemical

EXTREMELY FLAMMABLE: Contents under pressure. Pressurized container may explode when exposed to heat or flame.

#### Explosion data

Sensitivity to Mechanical Impact NONE.  
Sensitivity to Static Discharge NONE.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Move containers from fire area if you can do it without risk. Cool exposed containers with water spray. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible withdraw from area and let fire burn.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Keep people away from and upwind of spill/leak. Wear adequate personal protective equipment, see Section 8, Exposure Controls/Personal Protection. Avoid breathing vapors or mists. Ventilate affected area. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

#### Environmental precautions

Environmental precautions Avoid release to the environment. Dispose of contents/container to an approved waste disposal plant. Collect spillage. Do not allow into any sewer, on the ground or into any body of water. See Section 12 for additional ecological information.

#### Methods and material for containment and cleaning up

Page 3 of 9

251970 AEROSOL, BLOOM

Revision Date 04/17/2015

#### Methods for containment

Prevent further leakage or spillage if safe to do so.

#### Methods for cleaning up

Eliminate all ignition sources if safe to do so. Use a non-combustible material like vermiculite or sand to soak up the product and place into a container for later disposal.  
Flush residue with water.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

#### Advice on safe handling

Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Contents under pressure. Never pierce, drill, grind, cut, saw or weld any empty container. All equipment used when handling the product must be grounded. Do not reuse container. Avoid breathing vapors or mists. Avoid contact with eyes. Avoid prolonged contact. Use only in well-ventilated areas.

#### Conditions for safe storage, including any incompatibilities

#### Storage Conditions

Keep locked up and out of reach of children. Protect from sunlight. Keep at a temperature not exceeding 50 °C. Empty containers may retain hazardous properties. Do not cut, puncture or weld on or near the container. Keep containers tightly closed in a dry, cool and well-ventilated place.

#### Incompatible materials

Acids. Strong oxidizing agents. Nitrates. Chlorine. Fluorine.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### Exposure Guidelines

PRODUCT COMPOSITION	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetone 67-64-1	STEL: 750 ppm TWA: 500 ppm	(vacated) STEL: 2400 mg/m <sup>3</sup> The acetone STEL does not apply to the cellulose acetate fiber industry. It is in effect for all other sectors. (vacated) STEL: 1000 ppm (vacated) TWA: 750 ppm (vacated) TWA: 1600 mg/m <sup>3</sup> TWA: 1000 ppm TWA: 2400 mg/m <sup>3</sup>	2500 ppm
Butane 106-97-8	STEL: 1000 ppm	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	-
Propane 74-98-6	TWA: 1000 ppm	(vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m <sup>3</sup> TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup>	2100 ppm

#### Appropriate engineering controls

#### ENGINEERING CONTROLS

Showers  
Eyewash stations  
Ventilation systems.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Safety glasses are recommended to minimize eye contact.

#### Skin and body protection

Chemical resistant gloves are recommended to minimize skin contact. Appropriate protective clothing as needed to prevent skin contact. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of this product.

#### RESPIRATORY PROTECTION

Not normally required. If mist or vapors in air exceed exposure limit, use NIOSH approved organic vapor respirator.

Page 4 of 9

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

Physical state	Aerosol	Odor	Pleasant fragrance as labeled.
Appearance	No information available	Odor threshold	No information available
Color	No information available	Remarks - Method	Estimated for propellant
Property	Values		
pH	Unknown		
Melting point/freezing point	No information available		
Boiling point / boiling range	56 °C / 133 °F		
Flash point	-104 °C / -156 °F		
Evaporation rate	No information available		
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	9.5%		
Lower flammability limit:	1.9%		
Vapor pressure	No information available		
Vapor density	No information available		
Specific gravity	0.197		
Water solubility	No information available		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature	No information available		
Decomposition temperature	No information available		
Kinematic viscosity	No information available		
Dynamic viscosity	No information available		
Explosive properties	No information available		
Oxidizing properties	No information available		
Other Information			
Softening point	No information available		
VOC (EPA METH.24) (G/L):	286.6		
Density	0.20 g/cm3		
Bulk density	No information available		

**10. STABILITY AND REACTIVITY****REACTIVITY**

No data available.

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**CONDITIONS TO AVOID**

Extremes of temperature and direct sunlight.

**Incompatible materials**

Acids, Strong oxidizing agents, Nitrates, Chlorine, Fluorine.

**Hazardous Decomposition Products**

None known based on information supplied.

**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Product Information	Serious eye damage/eye irritation.
Inhalation	May cause drowsiness or dizziness.
Eye contact	Severely irritating to eyes.
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	No data available.

PRODUCT COMPOSITION	Oral LD50	Dermal LD50	Inhalation LC50
Acetone 67-64-1	-	-	= 50100 mg/m <sup>3</sup> ( Rat ) 8 h
Butane 106-97-8	-	-	= 658 ppm <sup>3</sup> ( Rat ) 4 h
Propane 74-98-6	-	-	= 658 mg/L ( Rat ) 4 h
Benzaldehyde 100-52-7	= 600 mg/kg ( Rat )	= 1250 mg/kg ( Rabbit )	-
Vanillin 121-33-5	= 1580 mg/kg ( Rat )	> 5010 mg/kg ( Rabbit )	-

**Information on toxicological effects**

Symptoms No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

Sensitization	May cause sensitization by skin contact.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive Toxicity	No information available.
STOT - single exposure	Central nervous system.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

**Numerical measures of toxicity - Product Information****12. ECOLOGICAL INFORMATION****Ecotoxicity**

Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

PRODUCT COMPOSITION	Algae/aquatic plants	Fish	Crustaceans
Acetone 67-64-1	-	8300: 96 h Lepomis macrochirus mg/L LC50 6210 - 8120: 96 h Pimephales promelas mg/L LC50 static 4.74 - 6.33: 96 h Oncorhynchus mykiss mL/L LC50	12600 - 12700: 48 h Daphnia magna mg/L EC50 10294 - 17704: 48 h Daphnia magna mg/L EC50 Static

Benzaldehyde 100-52-7	-	10.6 - 11.8: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 12.69: 96 h Oncorhynchus mykiss mg/L LC50 static 7.5: 96 h Lepomis macrochirus mg/L LC50 static 6.8 - 8.63: 96 h Pimephales promelas mg/L LC50 flow-through 0.9 - 1.44: 96 h Lepomis macrochirus mg/L LC50 flow-through	-
Vanillin 121-33-5	-	53 - 61.3: 96 h Pimephales promelas mg/L LC50 flow-through 57: 96 h Pimephales promelas mg/L LC50 semi-static 98: 96 h Pimephales promelas mg/L LC50 static	-

**Persistence and degradability**

No information available.

**Bioaccumulation**

No information available.

PRODUCT COMPOSITION	Partition coefficient
Acetone 67-64-1	-0.24
Butane 106-97-8	2.89
Propane 74-98-6	2.8
Benzaldehyde 100-52-7	1.48
Vanillin 121-33-5	1.23

Other adverse effects. No information available.

**13. DISPOSAL CONSIDERATIONS****Waste treatment methods**

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Pressurized container. Do not pierce or burn, even after use. Do not reuse container.

**14. TRANSPORT INFORMATION****DEPT. OF TRANSPORTATION**

UNID No. 1950  
Proper shipping name AEROSOLS, FLAMMABLE (each not exceeding 1 L capacity)  
Hazard Class 2.1  
Packing Group NA  
Description 5 Liters (1.3 Gallons) and Less may be Classified as LTD, QTY.

**TGS**

UNID No. 1950

Proper shipping name AEROSOLS, FLAMMABLE (each not exceeding 1 L capacity)  
Hazard Class 2.1  
Packing Group NA  
Description 1 Liter (0.26 Gallons) and Less may be classified as LTD, QTY.

**15. REGULATORY INFORMATION****International inventories**

TSCA	Complies
DSL/NDL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

**Legend:**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List  
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
ENCS - Japan Existing and New Chemical Substances  
IECSC - China Inventory of Existing Chemical Substances  
KECL - Korean Existing and Evaluated Chemical Substances  
PICCS - Philippines Inventory of Chemicals and Chemical Substances  
AICS - Australian Inventory of Chemical Substances

**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

ACUTE HEALTH HAZARD	YES
CHRONIC HEALTH HAZARD	NO
FIRE HAZARD	YES
Sudden release of pressure hazard	YES
REACTIVE HAZARD	NO

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

PRODUCT COMPOSITION	Hazardous Substances RQs (in LBS)	U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPOs
Acetone 67-64-1	5000	

**US State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations**

PRODUCT COMPOSITION	UNITE	MAITE	PARTE
Acetone 07-04-1	0006	Listed	Listed
Bulane 106-07-6	0273	Listed	Listed
Propane 74-88-6	1594	Listed	Listed
Benzaldehyde 100-52-7	0196	Listed	Listed

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

**16. OTHER INFORMATION****NFPA**

Health hazards 1

Flammability 4

Instability 0

Physical and Chemical Properties -

**HMS**

Health hazards 1

Flammability 4

Physical hazards 0

Personal protection C

**Revision Date**

04/17/2015

**Revision Note****Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

\*\*\* END OF SDS \*\*\*

