



LAVO Inc.
11900 Boul. Saint-Jean Baptiste
Montréal, QC, H1C 2J3
CANADA
1-800-361-6898

PRODUCT: OLD DUTCH BLEACH

CODE: OD F00-0170

SECTION 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:..... OLD DUTCH BLEACH
 PRODUCT CODE(S)..... OD F00-0170
 RECOMMENDED USE:..... Laundry and Household bleach. Domestic use.
 MANUFACTURING NAME AND ADDRESS LAVO Inc.
 11900 Boul. Saint-Jean-Baptiste
 Montréal, QC, H1C 2J3
 CANADA
 1-800-361-6898
 24 HOUR EMERGENCY NUMBER:..... CANUTEC 24-Hour Number: 613-996-6666.

SECTION 02: HAZARD IDENTIFICATION



SIGNAL WORD..... WARNING.
 GHS CLASSIFICATION:..... Skin Corrosion/Irritation Category 2. Serious Eye Damage/ Eye Irritation Category 1. Acute aquatic toxicity Category 2. Chronic aquatic toxicity Category 2.
 HAZARD STATEMENTS..... H315 Causes skin irritation. H318 Causes serious eye damage. H401 Toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.
 PRECAUTIONARY STATEMENTS..... P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/container to an approved waste disposal plant.

SECTION 03: COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS	CAS #	WT. %
Sodium Hypochlorite	7681-52-9	4.0-5.0
Sodium Hydroxide	1310-73-2	<0.5

SECTION 04: FIRST AID MEASURES

ROUTES OF EXPOSURE..... Eye, Skin, Ingestion and Inhalation.
 INHALATION..... Remove victim to fresh air. If not breathing give artificial respiration or oxygen by trained personnel. Get immediate medical attention. Call a poison center or physician.
 EYE CONTACT..... Immediately hold eyelids open and flush with water for at least 15 minutes. Check for and remove any contact lenses if easy to do. Consult a physician.
 SKIN CONTACT..... Wash affected area immediately with large amounts of soap and water. Remove contaminated clothing and wash before reuse. Consult a physician.
 INGESTION..... Call immediately a poison centre or a doctor. Do not induce vomiting or give anything by mouth to an unconscious person. Rinse out mouth with water.
 ACUTE SYMPTOMS/EFFECTS
 Eyes:..... May irritate eyes.
 Ingestion:..... May cause severe irritation damage in the mouth, throat and stomach. Symptoms may include abdominal pain, vomiting, burns, perforations, bleeding and eventually death.
 Skin:..... Causes severe burns. Causes skin irritation. Direct skin contact may cause skin burns, deep ulcerations and possibly permanent scarring.
 Inhalation:..... Inhalation of high concentrations of fumes or mists may cause severe irritation and corrosive damage to the nose, throat and upper respiratory tract.
 DELAYED SYMPTOMS/EFFECTS..... Prolonged or repeated contact may cause drying, cracking and de fatting of the skin.
 GENERAL ADVICE:..... Consult a physician. Show this safety data sheet to the doctor.

PRODUCT: OLD DUTCH BLEACH

CODE: OD F00-0170

SECTION 05: FIRE FIGHTING MEASURES

CONDITIONS OF FLAMMABILITY..... Non-flammable substance. Non combustible substance.
 SUITABLE EXTINGUISHING MEDIA..... Use fire-extinguishing media appropriate for surrounding materials. Use Water spray, Alcohol-resistant foam, Dry chemical or Carbon dioxide.
 UNSUITABLE EXTINGUISHING MEDIA..... Do not use dry chemical extinguishing agents that contain ammonium compounds.
 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS Firefighter should wear proper protective equipment and self contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Use water to cool fire exposed containers.
 HAZARDOUS COMBUSTION PRODUCTS. May include and are not limited to: Chlorine; Hydrogen chloride gas; Oxygen; Sodium dioxides.
 EXPLOSION HAZARDS:
 Sensitivity to static discharge:..... No information available.
 Sensitivity to mechanical impact:.... No information available.

SECTION 06: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:..... Restrict access to area until completion of clean up. Evacuate personnel to safe areas. Ensure clean up is conducted by trained personnel only. Do not touch and walk through spilled material. All persons dealing with clean up should wear the appropriate protective equipment including self contained breathing apparatus. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personnel protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.
 ENVIRONMENTAL PRECAUTIONS:..... Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply. Prevent further leakage or spillage if safe to do.
 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING Contain and absorb spilled liquid with non combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal. Flush with water. Do not flush into surface water or sanitary sewer system. Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

SECTION 07: HANDLING AND STORAGE

HANDLING PROCEDURES..... Use good industrial hygiene practices in handling this material. Do not eat, drink or smoke when using this product. Use in well ventilated areas. Do not get in eyes, on skin or on clothing. Avoid inhalation of mists/vapours/fumes. Wash thoroughly after handling. Keep container tightly closed.
 STORAGE NEEDS..... Keep out of reach of children. Protect from sunlight. Keep container tightly closed. Store in a cool, dry and well ventilated area.
 STORAGE TEMPERATURE..... <30°C.

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	TWA	ACGIH TLV STEL	PEL	OSHA PEL STEL	REL	NIOSH
Sodium Hypochlorite	Not established	Ceiling: 2 mg/m3	2 mg/m3	Not established		Not established
Sodium Hydroxide	Not established	2 mg/m3	2 mg/m3	Not established		Not established
ACGIH TLV:.....	American Conference of Governmental Industrial Hygienists - Threshold Limit Value.					
OSHA PEL:.....	Occupational Safety and Health Administration - Permissible Exposure Limits.					
NIOSH IDLH:.....	Immediately Dangerous to Life or Health.					
ENGINEERING CONTROLS.....	Use under well-ventilated conditions or with respiratory protection.					
GENERAL HYGIENE CONSIDERATIONS:..	Avoid breathing vapor or mist. Avoid contact with skin, eyes and clothing. Remove soiled clothing and wash it thoroughly before reuse. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Do not eat, drink, smoke or use cosmetics while working with this product.					
PERSONAL PROTECTION EQUIPMENT:	As required by employer. Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workspace.					
Eye / Face protection:.....	Wear safety glasses with side shields or goggles.					
Hand protection:.....	Wear protective gloves. Gloves must be inspected prior to use.					
Respiratory protection:.....	Use appropriate respiratory protection if there is the potential to exceed the exposure limit(s). Use a full face respirator with multi-purpose combination or Wear self contained breathing apparatus.					

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE..... Clear liquid. Translucent.
 COLOUR..... Colourless to light yellow.
 ODOUR..... Chlorine odor.
 ODOUR THRESHOLD (ppm)..... No information available.

PRODUCT: OLD DUTCH BLEACH

CODE: OD F00-0170

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

pH.....	11.5-13.5.
DENSITY.....	1.03-1.09 g/ml.
% SOLID.....	9-11.
FREEZING POINT (°C).....	No information available.
BOILING POINT (°C).....	96 to 120°C.
FLASH POINT (°C), Method.....	Not applicable. Product does not sustain combustion.
EVAPORATION RATE.....	No information available.
VAPOUR PRESSURE (mm Hg).....	< 2.3 kPa (17.5 mm Hg @ 20°C).
VAPOUR DENSITY (AIR=1).....	Heavier than air.
SOLUBILITY IN WATER (% W/W).....	Soluble in cold water.
COEFFICIENT OF WATER\OIL	No information available.
DISTRIBUTION	

SECTION 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY.....	Stable under the recommended storage and handling conditions prescribed.
REACTIVITY.....	React vigorously with acids. Reacts with amines and ammonia to form explosively unstable compounds. May develop chlorine if mixed with acidic solutions. Contact with some reactive metals may produce flammable hydrogen gas. Corrosive to metals.
HAZARDOUS POLYMERIZATION.....	Hazardous polymerization cannot occur.
CONDITIONS TO AVOID.....	Avoid heat and open flame. Exposure to sunlight. Do not mix with other chemicals.
INCOMPATIBILITY.....	Avoid contact with the following materials: Urea, Ammonia, Amides, Amines, Nitrogen containing compounds, Combustible materials, Organic materials, Metals, Reducing materials, Hydrocarbons materials, Alcohols, Ether. Contact with Magnesium, galvanized Zinc, Tin, Chromium, Brass and Bronze generates explosive Hydrogen.
HAZARDOUS PRODUCTS OF DECOMPOSITION	May include and are not limited to: Hydrogen chloride, Chlorine gas, Sodium dioxide.

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS	LC50	LD50
Sodium Hypochlorite	Inhalation, Rat: > 10.5 mg/kg	Oral Rat: 8,200 mg/kg; Oral Mice: 5800 mg/kg; Dermal Rat:>2000 mg/kg; Dermal Rabbit: >10,000 mg/kg
Sodium Hydroxide	Not established	Oral Rat: 2400mg/kg Dermal Rabbit: >2000mg/kg
ROUTE OF EXPOSURE.....	Eyes, skin, respiratory system and digestive system.	
POTENTIAL EFFECTS ON HUMANS		
Eye contact.....	May cause eye irritation.	
Skin contact.....	May cause skin irritation.	
Inhalation.....	Harmful if inhaled. May cause respiratory tract irritation or chemical burns.	
Ingestion.....	Harmful if swallowed. May cause severe irritation and corrosive damage to mouth, throat and stomach.	
CHRONIC EFFECTS ON HUMANS.....	Safe handling of this material on a long term basis should emphasize the prevention of all contact with this material to avoid any effects from repetitive acute exposures.	
SENSITIZATION.....	No information available.	
TARGET ORGANS.....	Contains material which may cause damage to the following organs: upper respiratory tract, skin, eye, lens of cornea and stomach.	
CARCINOGENICITY.....	No evidence of carcinogenic effects.	
Carcinogen classification code		
ACGIH.....	A4 - Not classifiable as a human carcinogen (Sodium Hypochlorite). No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.	
IARC.....	3 - Group 3: Not classifiable as to its carcinogenicity to humans (Sodium Hypochlorite).	
International Agency for Research on Cancer		
MUTAGENICITY.....	No information available.	
REPRODUCTIVE EFFECTS.....	No information available.	
TERATOGENICITY.....	No information available.	
SPECIFIC TARGET ORGANS TOXICITY - .	No information available.	
Single exposure		
SPECIFIC TARGET ORGANS TOXICITY - .	No information available.	
Repeated exposure		
ASPIRATION HAZARD.....	No information available.	
SIGNS AND SYMPTOMS OF EXPOSURE..	Burning sensation, Cough, Wheezing, Laryngitis, Shortness of breath, Spasm, Inflammation and Edema of the Larynx, Inflammation and Edema of the bronchi and Pneumony edema.	
SYNERGISTIC MATERIALS.....	No information available.	

PRODUCT: OLD DUTCH BLEACH

CODE: OD F00-0170

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY DATA, Sodium Hypochlorite: Acute 96Hrs LC50 Rainbow trout: 0.030 - 0.070 mg/L.
 Acute 48Hrs LC50 Daphnia magna: 0.032 - 0.036 mg/L.
 ECOTOXICITY DATA, Sodium Hydroxide: Acute 96Hrs LC50 fish Guppy Poecilia reticulata: 196 mg/L
 Chronic 96Hrs NOEC fish Guppy Poecilia reticulata: 56 mg/L.
 MOBILITY IN SOIL..... No information available.
 BIODEGRADABILITY..... No information available.
 BIOACCUMULATION..... No information available.
 OTHER ADVERSE EFFECTS..... Toxic to aquatic life with long lasting effects.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL..... The disposal of the product must be made in an approved sanitary landfill or in a foundry in accordance with state, provincial and/or federal regulations.

SECTION 14: TRANSPORT INFORMATION

Domestic Substances list, DSL..... All components of this product are either on the Domestic Substances List, the Non Domestic Substances List or exempt.
 Divulgate list of ingredients..... CAS: 7681-52-9 Sodium Hypochlorite, 1%.
 TDG CLASSIFICATION..... Not regulated.
 DOT US: Department of Transport US..... Not regulated.
 IMDG: International Maritime Dangerous Goods Not regulated.
 IATA: International Air Transportation Association Not regulated.

SECTION 15: REGULATORY INFORMATION

WHMIS CLASSIFICATION..... This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and this document contains all the information required by the Controlled Products Regulations. Class E: Corrosive Material. Class D-2B: Toxic material Causing other toxic effects.

SECTION 16: OTHER INFORMATION

F0000-0169/0170/
 DISCLAIMER:..... The information in the Material Safety Data Sheet is offered for your consideration and guidance when exposed to this product. Lavo Inc. expressly disclaims all expressed or implied warranties for the accuracy or completeness of the data contained herein and assumes no responsibilities for any involved damages by above data. Product's users have to do their own tests to establish the applicability of the information for a specific use of the product. MSDS data does not apply to use with any other product or in any other process.
 PREPARED BY: Regulatory Affairs
 PREPARATION DATE..... AUG 25/2015